

PUBLICACIONS

- Kozloff MF, Martin LP, Krzakowski M, Samuel TA, Rado TA, Arriola E, De Castro Carpeño J, Herbst RS, Tarazi J, Kim S, Rosbrook B, Tortorici M, Olszanski AJ, Cohen RB. Phase I trial of axitinib combined with platinum doublets in patients with advanced non-small cell lung cancer and other solid tumours. *Br J Cancer* 2012; 107:1277-85.
- Salido M, Pijuan L, Galván AB, Gimeno J, Cañadas I, Rodríguez-Rivera M, Rojo F, Albanell J, Solé F, Arriola E. ALK status in a primary lung tumour and metachronous metastases. *Histopathology* 2012; 60: 843-5.
- Obiols C, Call S, Rami-Porta R, Iglesias M, Saumench R, Serra-Mitjans M, Gonzalez-Pont G, Belda J. Extended cervical mediastinoscopy: mature results of a clinical protocol for staging bronchogenic carcinoma of the left lung. *Eur J Cardiothorac Surg* 2012; 41: 1043-6.
- Palma D, Senan S, Oberije C, Belderbos J, Rodríguez de Dios N, Bradley J, Barriguer B, Moreno M, Kim TH, Ramella S, Everitt S, Rengan R, Marks LB, De Ruyck K, Warner A, Rodrigues G Predicting esophagitis after chemoradiation therapy for non-small cell lung cancer: An individual patient data meta-analysis.. *Int Radiat Onco I Biol Phys* 2013; 87: 690-696.
- Embún R, Fiorentino F, Treasure T, Rivas JJ, Molins L; Grupo Español de Cirugía Metástasis Pulmonares de Carcinoma Colo-Rectal (GECMP-CCR) de la Sociedad Española de Neumología y Cirugía Torácica (SEPAR).. Pulmonary metastasectomy in colorectal cancer: a prospective study of demography and clinical characteristics of 543 patients in the Spanish colorectal metastasectomy registry (GECMP-CCR). *BMJ Open* 2013; 3:e002787. doi:10.1136/

- Sánchez-Font A, Giralt L, Vollmer I, Pijuan L, Gea J, Curull V. Utilidad de La ultrasonografía endobronquial radial em el diagnóstico de lesiones pulmonares periféricas. Estudio controlado com fluoroscopia. Arch Bronconeumol 2014; 50: 166-171.

- Taus A, Aguiló R, Curull V, Suárez-Piñera M, Rodríguez-Fuster A, Rodríguez de Dios N, Pijuan L, Zuccarino, F, Vollmer I, Sánchez-Font A, Belda-Sanchis J, Arriola E. Impact of 18F-FDG PET/CT in the Treatment of Patients With Non-Small Cell Lung Cancer. Arch Bronconeumol 2014;50: 99-104.

- Cañadas I, Rojo F, Taus A, Arpí O, Arumí-Uría M, Pijuan L, Menéndez S, Zazo S, Dómine M, Salido M, Mojal S, García de Herreros A, Rovira A, Albanell J, Arriola E. Targeting epithelial-to-mesenchymal transition with Met inhibitors reverts chemoresistance in small cell lung cancer. Clin Cancer Res 2014; 20: 938-50.

- Cañadas I, Taus A, González I, Villanueva X, Gimeno J, Pijuan L, Dómine M, Sánchez-Font A, Vollmer I, Menéndez S, Arpí O, Mojal S, Rojo F, Rovira A, Albanell J, Arriola E. High circulating hepatocyte growth factor levels associate with epithelial to mesenchymal transition and poor outcome in small cell lung cancer patients. Oncotarget 2014; 5: 5246-56.

- Conde E, Suárez-Gauthier A, Benito A, Garrido P, García-Campelo R, Biscuola M, Paz-Ares L, Hardisson D, de Castro J, Camacho MC, Rodriguez-Abreu D, Abdulkader I, Ramirez J, Reguart N, Salido M, Pijuan L, Arriola E, Sanz J, Folgueras V, Villanueva N, Gómez-Román J, Hidalgo M, López-Ríos F. Accurate identification of ALK positive lung carcinoma patients: novel FDA-cleared automated fluorescence in situ hybridization scanning system and ultrasensitive immunohistochemistry. PLoS One 2014 Sep 23; 9(9): e107200.

- Belda J, Trujillo JC, Obiols C, Aguiló R. Tabaquismo y oncología torácica. Prev Tab. 2014; 16: 220-3.

- Obiols C, Call S, Rami-Porta R, Trujillo-Reyes JC, Saumench R, Iglesias M, Serra-Mitjans M, Gonzalez-Pont G, Belda-Sanchís J. Survival of patients with unsuspected pN2 non-small cell lung cancer after an accurate preoperative mediastinal staging. *Ann Thorac Surg* 2014; 97: 957-64.

- Rodríguez-Fuster A, Belda-Sanchis J, Aguiló R, Embun R, Mojal S, Call S, Molins L, Rivas de Andrés JJ; GECMP-CCR-SEPAR. Morbidity and mortality in a large series of surgical patients with pulmonary metastases of colorectal carcinoma: a prospective multicentre Spanish study (GECMP-CCR-SEPAR). *Eur J Cardio Thorac Surg* 2014; 45: 671-6.

- Gomez S, Bellosillo B, Muset M, Lloveras B, Pijuan L, Gimeno J, Serrano S, Alameda F. Reproducibility of the cobas 4800 HPV test in the "grey zone". *Anal Quant Cytopathol Histpathol* 2014; 36: 303-4.

- Vidal J, Clavé S, de Muga S, González I, Pijuan L, Gimeno J, Remón J, Reguart N, Viñolas N, Gironés R, Bernet L, Majem M, Bosch-Barrera J, Porta R, Alonso N, Palmero R, Taus A, Albanell J, Espinet B, Salido M, Arriola E. Assessment of ALK status by FISH on 1000 Spanish non-small cell lung cancer patients. *J ThoracOncol* 2014; 9: 1816-20.

- Pernía O, Belda-Iniesta C, Pulido V, Cortes-Sempere M, Rodriguez C, Vera O, Soto J, Jiménez J, Taus A, Rojo F, Arriola E, Rovira A, Albanell J, Macías MT, de Castro J, Perona R, Ibañez de Caceres I. Methylation status of IGFBP-3 as a useful clinical tool for deciding on a concomitant radiotherapy. *Epigenetics* 2014; 9: 1446-53.

- Arriola E, Reguart N, Artal A, Cobo M, García-Campelo R, Esteban E, Rodríguez MC, García-Muret MP. Management of the adverse events of afatinib: a consensus of the recommendations of the Spanish expert panel. *Future Oncol* 2015; 11: 267-77.

- Monsó E, Montuenga LM, Sánchez de Cos J, Villena C; por el Grupo Colaborativo en Cáncer de Pulmón CIBERES-RTICC-SEPAR-Plataforma

Biobanco Pulmonar. Biological Marker Analysis as Part of the CIBERES-RTIC Cancer-SEPAR Strategic Project on Lung Cancer. ArchBronconeumol. 2015; 51: 462-467.

- Casadevall D, Gimeno J, Clavé S, Taus Á, Pijuan L, Arumí M, Lorenzo M, Menéndez S, Cañadas I, Albanell J, Serrano S, Espinet B, Salido M, Arriola E. MET expression and copy number heterogeneity in nonsquamous non-small cell lung cancer (NSCLC). Oncotarget 2015; 6: 16215-26.
- Cañadas I, Taus A, Villanueva X, Arpi O, Pijuan L, Rodriguez Y, Menéndez S, Mojal S, Rojo F, Albanell J, Rovira A, Arriola E. Angiopoietin-2 is a negative prognostic marker in small cell lung cancer. Lung Cancer 2015; 90: 302-6.
- Arriola E, Wheeler M, Krishnan R, Smart J, Foria V, Ottensmeier C. Immunosuppression for ipilimumab-related toxicity can cause pneumocystis pneumonia but spare antitumor immune control. Oncoimmunology 2015;4(10):e1040218. eCollection 2015 Oct.
- Arriola E, Taus A, Casadevall D. Is there a role for epidermal growth factor receptor tyrosine kinase inhibitors in epidermal growth factor receptor wild-type non-small cell lung cancer ? World J Clin Oncol 2015; 6: 45-56.
- Cappuzzo F, Moro-Sibilot D, Gautschi O, Boleti E, Felip E, Groen HJ, Germonpré P, Meldgaard P, Arriola E, Steele N, Fox J, Schnell P, Engelsberg A, Wolf J. Management of crizotinib therapy for ALK-rearranged non-small cell lung carcinoma: an expert consensus. Lung Cancer 2015; 87: 89-95.
- Rodrigues G, Oberije C, Senan S, Tsujino K, Wiersma T, Moreno M, Kim TH, Mtk LB, Rengan R, De Petris L, Ramella S, DeRuyck K, Rodríguez de Dios N, Warner A, Bradley J, Palma D. Is Intermediate Radiation Dose Escalation With Concurrent Chemotherapy for Stage III NonSmall-Cell Lung Cancer

Beneficial? A Multi Institutional Propensity Score Matched Analysis. *Int Journal of Radiat Oncol Biol Phys* 2015; 91: 133-139.

- Subxiphoid video-pericardioscopy. Trujillo-Reyes JC, Rami-Porta R, Caja SC, Belda-Sanchis J. *Multimed Man Cardiothorac Surg* 2015 Jun 12; 2015. pii: mmv009.
- Meulendijks D, Jacob W, Martinez-Garcia M, Taus A, Lolkema PJK, Voest E et al. First-in-human phase I study of lumretuzumab, a glyco engineered humanized anti-her3 monoclonal antibody, in patients with metastatic or advanced her3-positive solid tumors. *Clin Cancer Res* 2016; 22: 877-85.
- Warner A, Dahele M, Hu B, Palma DA, Senan S, Oberije C, Tsujino K, Moreno-Jimenez M, Kim TH, Marks LB, Rengan R, De Petris L, Ramella S, DeRuyck K, Rodríguez De Dios N, Bradley JD, Rodrigues G. Factors associated with early mortality in patients treated with concurrent chemoradiotherapy for locally advanced non-small cell lung cancer. *Int Journal of Radiat Oncol Bio IPhys* 2016; 94: 612-20.
- Gómez A, González JA, Couñago F, Vallejo C, Casas F, Rodríguez de Dios N Evidence-based recommendations of postoperative radiotherapy in lung cancer from Oncologic Group for the Study of Lung Cancer (Spanish Radiation Oncology Society). *Clin Transl Oncol* 2016; 18: 331-41.
- Mateu M; Fermoselle C; Rojo F; Pena R; Urtreger A; Diament M; Bal de KierJoffé E; Pijuan L; Garcia de Herreros A; Barreiro E. Pharmacological approaches in an experimental model of non-small cell lung cancer: effects on tumor biology. *Curr Pharm Des* 2016; 22: 5300-10.
- Mateu-Jimenez M; Sanchez-Font A; Rodriguez-Fuster A; Aguilo R; Pijuan, L; Fermoselle C; Gea J; Curull V, Barreiro E. Redox imbalance in lung cancer of patients with underlying chronic respiratory conditions. *Mol Med* 2016 Jan 7. doi: 10.2119/molmed.2015.00199.

- Taus A. Toxicity associated with egfr inhibition: review and key aspects in the management of afatinib. *Med Clin (Barcelona)*. 2016, Suppl 1:30-5.
- Clavé S, Gimeno J, Muñoz-Mármol AM, Vidal J, Reguart N, Carcereny E, Lara Pijuan L, Menéndez S, Taus A, Mate JL, Serrano S, Albanell J, Espinet B, Arriola E, Salido M. ROS1 copy number alterations are frequent in non-small cell lung cancer. *Oncotarget* 2016;7: 8019-28
- Marron MC, Lora D, Gamez P, Rivas JJ, Embun R, Molins L, de la Cruz J; GECMP-CCR-SEPAR Spanish Colorectal Metastases Registry. Agreement Between Computed Tomography and Pathologic Nodule Counts in Colorectal Lung Metastases. *Ann Thorac Surg* 2016 (1):259-65.
- Call S, Rami-Porta R, Embún R, Casas L, Rivas JJ, Molins L, Belda-Sanchís J. Impact of inappropriate lymphadenectomy on lung metastasectomy for patients with metastatic colorectal cancer. *Surg Today* 2016; 46: 471-8.
- Embun R, Rivas de Andrés JJ, Call S, de Olaiz Navarro B, Freixinet JL, Bolufer S, Jarabo JR, Pajuelo N, Molins L; Spanish Group of Lung Metastases of Colo-Rectal Cancer (GECMP-CCR) of the Spanish Society of Pneumology and Thoracic Surgery (SEPAR). Causal Model of Survival After Pulmonary Metastasectomy of Colorectal Cancer: A Nationwide Prospective Registry. *Ann Thorac Surg* 2016; 101: 1883-90.
-
- Hernández J, Molins L, Fibla JJ, Heras F, Embún R, Rivas JJ; Grupo Español de Metástasis Pulmonares de Carcinoma Colo-Rectal (GECMP-CCR) de la Sociedad Española de Neumología y Cirugía Torácica (SEPAR). Role of major resection in pulmonary metastasectomy for colorectal cancer in the Spanish prospective multicenter study (GECMP-CCR). *Ann Oncol* 2016; 27: 850-5.
-
- Chalela R, Sánchez-Font A, Domínguez-Álvarez M, Badenes-Bonet D, Pijuan L, Curull V. Role of endobronchial ultra sound guided transbronchial needle

aspiration in the diagnosis of mediastinal tuberculosis .Med Clin (Barc) 2016; 146: 532-535

- Cruz MJ, Curull V, Pijuan L, Álvarez-Simón D, Sánchez-Font A, de Gracia J, Culebras M, Ferrer J. Utility of Bronchoalveolar Lavage for the Diagnosis of Asbestos-Related Diseases. Arch Bronconeumol 2016 Nov 30
- Arriola E, Wheeler M, Lopez MA, Thomas G, Ottensmeier C. Evaluation of immune infiltration in the colonic mucosa of patients with ipilimumab-related colitis. Oncoimmunology 2016; 5(9) :e1209615. eCollection 2016.
- Reck M, Hagiwara K, Han B, Tjulandin S, Grohé C, Yokoi T, Morabito A, Novello S, Arriola E, Molinier O, McCormack R, Ratcliffe M, Normanno N. ctDNA Determination of EGFR Mutation Status in European and Japanese Patients with Advanced NSCLC: The ASSESS Study. J Thorac Oncol 2016; 11: 1682-9.
- Arriola E, Wheeler M, Galea I, Cross N, Maishman T, Hamid D, Stanton L, Cave J, Geldart T, Mulatero C, Potter V, Danson S, Woll PJ, Griffiths R, Nolan L, Ottensmeier C. Biomarker Analysis from a Multicenter Phase2 Study of Ipilimumab in Combination with Carboplatin and Etoposide as First-Line Therapy for Extensive-Stage SCLC .J Thorac Oncol 2016; 11: 1511-21.
- Villar F, Muguruza I, Belda J, Molins L, Rodríguez PM, Sánchez de Cos J, et al. Recomendaciones SEPAR de diagnóstico y tratamiento del cáncer de pulmón de células no pequeñas. Arch Bronconeumol 2016; 52 (Supl 1): 2-62.
-
- Villar F, Muguruza I, Belda J, Molins L, Rodríguez PM, Sánchez de Cos J, et al. Sumario ejecutivo de las recomendaciones SEPAR de diagnóstico y tratamiento del cáncer de pulmón de células no pequeñas. Arch Bronconeumol 2016; 52: 378-88.
-

- Video-Assisted Mediastinoscopic Lymphadenectomy for Staging Non-Small Cell Lung Cancer. Call S, Obiols C, Rami-Porta R, Trujillo-Reyes JC, Iglesias M, Saumench R, Gonzalez-Pont G, Serra-Mitjans M, Belda-Sanchís J. *Ann Thorac Surg* 2016; 101: 1326-33.

- Arriola E, Ottensmeier C. TG4010: a vaccine with a therapeutic role in cancer. *Immunotherapy* 2016; 8: 511-9.

- Mateu-Jimenez M, Curull V, Pijuan L, Sánchez-Font A, Rivera-Ramos H, Rodríguez-Fuster A, Aguiló R, Gea J, Barreiro E. Systemic and Tumor Th1 and Th2 Inflammatory Profile and Macrophages in Lung Cancer: Influence of Underlying Chronic Respiratory Disease. *J Thorac Oncol* 2017; 12: 235-48.

- Novello S, Scagliotti G, de Castro G Jr, Kiyik M, Kowalyszyn R, Deppermann KM, Arriola E, Bosquee L, Novosiadly RD, Nguyen TS, Forest A, Tang S, Kambhampati SR, Cosaert J, Reck M. An Open-Label, Multicenter, Randomized, Phase II Study of Cisplatin and Pemetrexed With or Without Cixutumumab (IMC-A12) as a First-Line Therapy in Patients With Advanced Non squamous Non-Small Cell Lung Cancer. *J Thorac Oncol* 2017; 12: 383-9.

- Couñago F, Rodríguez A, Calvo P, Luna J, Monroy JL, Taboada B, Díaz V, Rodríguez de Dios N Targeted therapy combined with radiotherapy in non-small-cell lung cancer: a review of the Oncologic Group for the Study of LungCancer (Spanish Radiation Oncology Society). *Clin Transl Oncol* 2017; 19: 31-43.

- Rodríguez de Dios N, Sanz X, Foro P, Membrive I, Reig A, Ortiz A, Jiménez R, Algara M. Accelerated hypofractionated radiationtherapy (AHRT) for non-small-cell lung cancer: can we leave standard fractionation?. *Clin Transl Oncol* 2017; 19: 440-7.

- Rodríguez de Dios N, Calvo P, Rico M, Martín M, Couñago F, Sotoca A, Taboada B, Rodríguez A .Recent developments in radiotherapy for small-cell lungcancer. A review b ythe oncologic group for the study of lung cancer (Spanish Radiation Oncology Society). Clin Transl Oncol 2017; DOI 10.1007/s12094-017-1667-5.

- Casadevall D, Clavé S; Taus A; Hardy-Werbin M; Rocha P, Lorenzo M et al. Heterogeneity of tumor and immune cell PD-L1 expression and lymphocyte counts in surgical NSCLC samples. Clin Lung Cancer 2017 doi.org/10.1016/j.clc.2017.04.014

- Meulendijks D, Jacob W, Voest EE ,Mau-Sorensen M, Martinez-Garcia M, Taus A. Phase Ib study of lumretuzumab plus cetuximab or erlotinib in solid tumor patients and evaluation of her3 and heregulin as potential biomarkers of clinical activity. Clin Cancer Research 2017 (en premsa).

- Garrido P, Sánchez M, Belda Sanchis J, Moreno Mata N, Artal A, Gayete A, Matilla González JM, Galbis Caravajal JM, Isla D, Paz-Ares L, Seijo LM. Reflections on the Implementation of Low-Dose Computed Tomography Screening in Individuals at High Risk of Lung Cancer in Spain. Arch Bronconeumol 2017 Apr 14.doi:10.1016/j.arbres.2017.03.004.